


LED PICTURE

LED-Leuchtrahmen | LED luminous picture
Design: Hans Buschfeld, Heinrich Halbe

LED PICTURE lässt Bilder erstrahlen und ermöglicht die Präsentation transluzenter Bilder durch innovative Technik von Buschfeld und Halbe®. Trotz flacher Bauweise wird eine homogene Leuchtfläche gewährleistet. Die Bildaufhängung dient gleichzeitig zur Spannungsversorgung und kann werkzeuglos an beliebiger Stelle in das LightLight® WALL System eingehängt werden. Unschöne Kabelzuführungen entfallen. Neben Standardformaten sind Individuallösungen möglich.

Thanks to the innovative LED PICTURE technology developed by Buschfeld and Halbe® pictures can be perceived as being translucent, and generate a »glow from within« impression. Two-dimensional surfaces are lit evenly, bringing the pictures to life. The wires used to hang the pictures also serve as power lines and can be clipped into the LightLight® WALL system, as required, without the use of tools. This cuts out any unsightly wiring. Besides standard formats, individual solutions are also possible. Photo prints can be ordered online or in specialist camera shops.





↑ Leuchtrahmen **LED PICTURE**, alumatt
System LightLight® **WALL**, Sonderfarbe nach RAL
LED luminous pictures **LED PICTURE**, alumatt
LightLight® **WALL** system, custom colour RAL








- Leuchtrahmen **LED PICTURE**, alumatt
System LightLight® **WALL**, Sonderfarbe nach RAL
LED luminous pictures **LED PICTURE**, alumatt
LightLight® **WALL** system, custom colour RAL



LED PICTURE

LED-Leuchtrahmen | LED luminous picture
Design: Hans Buschfeld, Heinrich Halbe



Typ Type	Passepartout-Ausschnitt Passepartout mounting	Wattage Wattage	Artikelnummer Order no
  500 x 700 x 30	297 x 420 (DIN A3)	3,6 W	90050A
  500 x 700 x 30	450 x 650	6 W	90060A

Betrieb ausschließlich mit DC-Gleichspannungstransformatoren.
For use with DC transformers only.

LED-Leuchtrahmen 5.000 K (Neutralweiß). 500 x 700 mm, Hoch- und Querformat. Opti-White Floatglas glänzend. Inklusive Aufhängung bzw. Systemeinspeisung, Länge 1500 mm. Andere Oberflächen, Lichtfarben und Maße auf Anfrage. Betrieb ausschließlich mit DC-Gleichspannungstransformatoren.

Bildmotive können im Fotofachhandel oder bei entsprechenden Dienstleistern im Internet bestellt werden. Bei Fragen sind wir gerne behilflich. Wir empfehlen lichtdurchlässige Motive wie Diapositive oder Bilder, die mit Digitaldruck im Inkjet-Verfahren erstellt wurden.

LED backlighting to create luminous pictures, 5000 K (neutral white).

500 x 700 mm vertical and horizontal formats. Polished Optiwhite float glass. Supplied with power wires, which double as wires for hanging pictures, length: 1500 mm. Other finishes, colour temperatures and dimensions available on request. Running with DC transformer. Photo prints can be ordered in specialist camera shops or via relevant suppliers online. Should you have any questions, we would be glad to help. We recommend translucent images such as slides or inkjet printed digital images.